


MCR 305 H20




Mât - Réactions / Mast - Reaktionskräfte / Mast - Reactions / Mástil - Reacciones / Torre - Reazioni
Tramo - Reações / Реакция опор мачты


2,0 m - P 22A								
ΔΔΔ (m)	30	35	40	45	50	55	60	
Δ (m)	50,9	50,9	50,9	50,9	50,9	50,9	49,3	
3,33 m (M 619C)	1	1	1	1	1	1	2	
5 m (M 619A)	9	9	9	9	9	9	8	
F2 (t)	●	214	216	219	225	233	232	226
	■	213	228	244	259	274	291	291
F3 (t)	●	153	155	157	153	160	162	164
	■	152	167	182	197	212	228	229

2,0 m - B 619A								
ΔΔΔ (m)	30	35	40	45	50	55	60	
Δ (m)	47,3	47,3	47,3	47,3	47,3	47,3	49,0	
3,33 m (M 619C)	1	1	1	1	1	1	0	
5 m (M 619A)	7	7	7	7	7	7	8	
5 m (M 619H)	1	1	1	1	1	1	1	
1,67 m (M 619P)	1	1	1	1	1	1	1	


2,0 m - VB 22								
ΔΔΔ (m)	30	35	40	45	50	55	60	
Δ (m)	50,3	50,3	50,3	48,6	46,9	43,6	41,9	
3,33 m (M 619C)	1	1	1	2	0	2	0	
5 m (M 619A)	8	8	8	7	8	6	7	
F1 (t)	●	120	122	124	125	126	123	119
	■	119	124	130	132	132	127	127



Télescopage sur dalles / Kletterkrane im Gebäude / Climbing Crane / Telescopage grua trepadora / Gru in cavedio
Telescopagem sobre lajes / Кран, ползущий внутри здания



Ancrages / Verankerungen / Anchorages / Anclajes / Ancoraggi
Ancoragem / Анкера



Courbes de charges / Lastkurven / Load curves / Curvas de cargas / Curve di carico
Curvas de carga / Кривые нагрузок

 (m)	20	23	25	28	30	31,1	33	35	35,9	38	40	40,7	43	45	45,6	48	50	50,4	53	55	55,2	m
 20t  10t																						
55 4,6 → 23,5 35,8 - 37,0	16	16	14,6	12,2	10,9	-	9,3	8,4	-	7,6	6,9	-	6	5,4	-	4,7	4,3	-	3,7	3,3	3,3	t
50 4,3 → 20,0 31,6 - 32,5	20	16,4	14,5	12,2	10,9	-	9,8	8,9	-	7,7	7	-	6,1	5,5	-	4,8	4,3	4,3	t			
45 4,1 → 20,1 32,0 - 32,9	20	16,5	14,6	12,3	11,1	-	9,9	9	-	7,8	7,2	-	6,2	5,7	5,6	t						
40 3,8 → 20,2 32,4 - 33,4	20	16,7	14,8	12,6	11,3	-	10	9,3	-	8,1	7,4	7,2	t									
35 3,6 → 20,4 33,0 - 34,0	20	17	15,1	12,8	11,6	-	10	9,5	9,2	t												
30 3,3 → 20,7	20	17,4	15,5	13,2	12	11,3	t															

 =  - 0,48 t

 (m)	30	31,1	32	35	35,9	37	40	40,7	42	45	45,6	47	50	50,4	52	55	55,2	57	60	60,1	m
 10t																					
60 4,9 → 34,4	10	10	10	9,7	-	8,9	7,7	-	7,1	6,2	-	5,7	5	-	4,5	4	-	3,6	3,1	3,1	t
55 4,6 → 33,5	10	10	10	9,3	-	8,5	7,4	-	6,8	5,9	-	5,4	4,8	-	4,4	3,8	3,8	t			
50 4,3 → 33,5	10	10	10	9,3	-	8,5	7,5	-	6,8	6	-	5,5	4,8	4,8	t						
45 4,1 → 34,0	10	10	10	9,5	-	8,7	7,7	-	7	6,2	6,1	t									
40 3,8 → 34,4	10	10	10	9,8	-	9	7,9	7,7	t												
35 3,6 → 35,1	10	10	10	10	9,7	t															
30 3,3 → 31,1	10	10	t																		


Lest de base / Grundballast / Base ballast / Lastre de base / Zavorra di base
 Lastro da base / Базовый Балласт

🏗️ (t) / 📏 2 m - VB 22 - 🏗️							
📏 (m)	30	35	40	45	50	55	60
50,3	132	132	132	-	-	-	-
48,6	120	132	132	132	-	-	-
46,9	120	120	132	132	132	-	-
43,6	108	108	120	120	132	132	-
41,9	108	108	108	120	120	132	132
38,6	96	96	108	108	120	120	132
35,3	84	96	96	96	108	108	120
31,9	84	84	84	96	96	108	108
28,6	84	84	84	84	96	96	96
25,3	84	72	72	84	84	84	96
21,9	84	72	72	72	72	84	84
18,6	84	72	72	72	72	72	84


Poids de flèche & lest de contre-flèche / Auslegergewicht & Gegenauslegerballast / Jib weight & counter-jib ballast / Peso de flecha y lastre de contra-flecha / Peso del braccio & zavorra di contro-braccio / Peso da lança & lastro da contra lança
 Вес стрелы и балласт контр-стрелы

📏 (m)	7 200 kg	🏗️ (kg)
30	5	36 000
35	5	36 000
40	5	36 000
45	5	36 000
50	5	36 000
55	5	36 000
60	5	36 000

CDJ - 7 200 kg



Flèche relevée / Ausleger in Steilstellung / Luffing jib / Flecha izada / Braccio impennato
 Lança inclinada / Маховая стрела




















Encombrenment et poids / Abmessungen und Gewicht / Dimensions and weight / Dimensiones y peso / Ingombro e peso
dimensões e pesos / габаритные размеры и вес

Partie tournante / Drehender Kranteil / Slewing crane part / Parte giratoria

Parte rotante / Parte rotativa / Поворотная часть :  60 m -  -  100 LVFC



Partie tournante / Drehender Kranteil / Slewing crane part Parte giratoria / Parte rotante / Parte rotativa Поворотная часть		L (m)	l (m)	h (m)	kg (+/- 5%)
Contre-flèche / Gegenausleger Counter-jib / Contra-flecha Controbraccio / Contra-lança Контр-стрела		8,63	5,83	5,87	11090
Poinçon / Auslegerhaltebock Strut / Puntal Puntone / Extrator стойка		6,09	2,75	11,33	5846
cabine / Kabine cab / cabina cabina / cabina кабина		3,95	1,80	2,55	1200
Pivot / Krankopf Towerhead / Pivote Portaralla / Pivot Секция поворотной части		2,43	2,43	3,09	9178
Treuril de levage (+ câble) / Hubwerk (+ Seil) Hoisting winch (+ rope) / Mecanismo de elevación (+ cabo) Argano di sollevamento (+ fune) Guincho de elevação (+ cabo) Подъемная лебедка (+ канатом)	 100 LVFC 50	3,30	1,60	1,74	2800
	 150 LVFC 50	4,67	1,93	1,98	6446
Elément de flèche / Auslegerement Jib section / Elemento de flecha Elemento di braccio / Elemento de lança Секция стрелы	 ①	5,85	1,88	1,90	1126
Elément de flèche / Auslegerement Jib section / Elemento de flecha Elemento di braccio / Elemento de lança Секция стрелы	 ②	10,2	1,87	2,09	1364
	 ⑤	10,1	1,80	1,91	1184
	 ⑥	10,1	1,80	1,91	1024
	 ⑧	9,46	1,80	1,67	963
Elément de flèche / Auslegerement Jib section / Elemento de flecha Elemento di braccio / Elemento de lança Секция стрелы	 ③	5,14	1,80	2,02	844
	 ④	5,14	1,80	1,66	600
	 ⑦	5,14	1,80	1,91	538
Elément de flèche / Auslegerement Jib section / Elemento de flecha Elemento di braccio / Elemento de lança Секция стрелы	 ⑨	1,54	1,81	2,26	389
Chariot / Laufkatze Trolley / Carrello Carro / Carro-distribuidor Тележка		1,63	0,44	1,26	380
Chariot / Laufkatze Trolley / Carrello Carro / Carro-distribuidor Тележка		0,68	0,26	1,31	401


Equipement de télescage / Teleskopierausrüstung / Telescoping equipment Equipo de telescopaje / Equipaggiamento di telescopaggio / Equipamento de telescagem Оборудование для телескопирования							
Cage de télescage / Teleskopwagen Telescopic cage / Jaula de telescopaje Gabbia di telescopaggio / Gaiola de telescagem для телескопирования крана		T 22	12,78	4,11	4,43	8759	
Mâtüre / Mastwerk / Masts Mástil / Torre / Coluna Мачты							
M 619A M 619C		 2 m	5,32 3,66	2,13 2,13	2,13 2,13	3550 2460	
Bases / Kranbasen / Crane bases Bases / Basi / Bases фундамент под кран							
Pieds de scellement / Verankerungsfüße Fixing angles / Pie de empotramiento Montante da annegare / Angulos fixadores анкера		P 22A R 22A	1,35 0,82	0,65 0,65	0,65 0,65	387 325	
Mât-châssis / Grundmasteinheit Basic mast unit / Tramo-chasis Elemento base / Tramo-chassis Мачта для крепления к шасси		VB 22	5,08	2,46	2,38	5755	
Haubans / Mastabstützungen Struts / Tornapuntas Puntoni / Escoras Растяжка		VB 22	4,04	0,32	0,29	401	
Sommier / Unterwagenhälfte Half-bearer / Testero Testata / Estrutura base Траверса		VB 22	6,7	0,7	2,3	1596	

Mécanismes / Triebwerke / Mechanisms / Mecanismos / Meccanismi
Mecanismos / Механизмы


400 V - 50 Hz														ch - PS hp	kW		
	400 V - 50 Hz 480 V - 60 Hz	100 LVFC 50 Optima	m/min	36,5	46,5	61,5	78,5	94	18,5	24	32	44,5	47	100	75	1018 m	
			t	10	7,5	5	2,5	1,25	20	15	10	5	3,9				
		150 LVFC 50 Optima	m/min	54	68	92	144	195	27	34	46	72	97,5	150	110	1200 m	
			t	10	7,5	5	2,5	1,3	20	15	10	5	3,8				
		100 VVFC 40	m/min	1 min 40 s											100	75	
			RVF 172 Optima+	tr/min U/min rpm	0 → 0,8											2 x 10	
																	

 IEC 60204-32	 kVA
400 V (+10% -10%) 50 Hz 480 V (+6% -10%) 60 Hz	100 LVFC : 179 kVA 150 LVFC : 219 kVA

100 LVFC 50 Optima



150 LVFC 50 Optima



	FR	DE	EN	ES	IT	PT	RU
	Appel de flèche	Auslegerüberhöhung	Jib elevation	Elevación de la flecha	Inclinazione braccio	Desvio da lança	подъем стрелы
	Réactions en service	Reaktionskräfte in Betrieb	Reactions in service	Reacciones en servicio	Reazioni in servizio	Reacções em serviço	Реакция при работе
	Réactions hors service	Reaktionskräfte außer Betrieb	Reactions out of service	Reacciones fuera de servicio	Reazioni fuori servizio	Reacções fora de serviço	Реакция в покое
	A vide sans lest avec flèche et hauteur maximum	Gewicht ohne Last, ohne Ballast, mit Ausleger und max. Höhe	Weight without load, without ballast, with jib and max. height	Peso en vacío sin lastre, con flecha y altura máxima	Peso a vuoto, senza zavorra, con braccio e altezza massimi	Peso em vazio sem lastro com lança e altura máxima	Вес пустого, без балласта, со стрелой, максимальной высоты.
	Poids total du lest	Ballast-Gesamtgewicht	Total ballast weight	Peso total del lastre	Peso totale della zavorra	Peso total do lastro	Общий вес балласта
	Camion 13,4 m	Lkw 13,4 m	Lorry 13,4 m	Camión 13,4 m	Camion 13,4 m	Camião 13,4 m	Ррузовой автомобиль 13,4 м
	Conteneur High Cube 40"	Container High Cube 40"	Container High Cube 40"	Contenedor High cube 40"	Container High Cube 40"	Contentor 40"	Контейнер повышенной вместимости длиной 40"
	Cadre d'ancrage serré	Fester Verankerungsrahmen	Tightened anchorage frame	Marco de anclaje de apriete	Quadro di ancoraggio stretto	Quadro de amarração apertado	Прикрепленная анкерная рама
	Cadre d'ancrage desserré	Loser Verankerungsrahmen	Loosened anchorage frame	Marco de anclaje de desapriete	Quadro di ancoraggio allentato	Quadro de amarração solto	Отсоединенная анкерная рама
	Levage	Heben	Hoisting	Elevación	Sollevamento	Elevação	Подъем
	Distribution	Katzfahren	Trolleying	Distribución	Ditribuzione	Distribuição	Перемещение по стреле
	Orientation	Schwenken	Slewing	Orientación	Rotazione	Rotação	Поворот
	Translation	Kranfahren	Travelling	Traslación	Traslazione	Translação	Перемещение крана
	Puissance nominale	Nennleistung	Rated power	Potencia nominal	Potenza nominale	Potência nominal	Номинальная мощность
	Voir télescopage sur dalles	Siehe Kletterkrane im Gebäude	See climbing crane	Vea grua trepadora	Consultare gru in cavedio	Ver telescopagem sobre lages	См. кран, ползущий внутри здания
	Nous consulter	Auf Anfrage	Consult us	Consultarnos	Consultateci	Consultar-nos	Проконсультируйтесь у нас
	Document commercial non contractuel. Pour toute information technique se référer à la notice correspondante.	Unverbindliches Vertriebsdokument. Für technische Informationen, siehe die entsprechenden Anweisungen.	This commercial document is not legally binding. For any technical information, please refer to the corresponding instructions.	Documento commercial no contractual. Para cualquier información técnica, ver la noticia correspondiente.	Documento commerciale non vincolante, per tutte le informazioni tecniche fare riferimento al catalogo istruzioni.	Documento comercial não contratual. Para qualquer informação técnica complementar consultar as respectivas instruções.	Этот коммерческий документ не является юридически обязательным. Для получения технической информации, см. соответствующие инструкции.